

AS 568A MEDIDA	NOMINAL (REF.) MEDIDA EN PULGADAS			STANDARD O-RING MEDIDAS EN PULGADAS				METRIC O-RING MEDIDAS EN MILIMETROS			
	ID	OD	CS	ID	±	CS	±	ID	±	CS	±

INPOLPE SAC

TABLA DE ORINGS AS568 - MEDIDA PULGADAS

O-Ring para uso con rosca interna recta para conexión de fluidos y tubos										
AS 568A MEDIDAS	NOMINAL (REF.)		MEDIDAS EN MILIMETROS				MEDIDAS EN PULGADAS			
	OD	ID	±	CS	±	ID	±	CS	±	
A0901	3/32	0.185	0.005	0.056	0.003	4.70	0.13	1.42	0.08	
A0902	1/8	0.239	0.005	0.064	0.003	6.07	0.13	1.63	0.08	
A0903	3/16	0.301	0.005	0.064	0.003	7.65	0.13	1.63	0.08	
A0904	1/4	0.351	0.005	0.072	0.003	8.92	0.13	1.83	0.08	
A0905	5/16	0.414	0.005	0.072	0.003	10.52	0.13	1.83	0.08	
A0906	3/8	0.468	0.005	0.078	0.003	11.89	0.13	1.98	0.08	
A0907	7/16	0.530	0.007	0.082	0.003	13.46	0.18	2.08	0.08	
A0908	1/2	0.644	0.009	0.087	0.003	16.36	0.23	2.21	0.08	
A0909	9/16	0.706	0.009	0.097	0.003	17.93	0.23	2.46	0.08	
A0910	5/8	0.755	0.009	0.097	0.003	19.18	0.23	2.46	0.08	
A0911	11/16	0.863	0.009	0.116	0.004	21.92	0.23	2.95	0.10	
A0912	3/4	0.924	0.009	0.116	0.004	23.47	0.23	2.95	0.10	
A0913	13/16	0.986	0.010	0.116	0.004	25.04	0.25	2.95	0.10	
A0914	7/8	1.047	0.010	0.116	0.004	26.59	0.25	2.95	0.10	
A0916	1	1.171	0.010	0.116	0.004	29.74	0.25	2.95	0.10	
A0918	1 1/8	1.355	0.012	0.116	0.004	34.42	0.30	2.95	0.10	
A0920	1 1/4	1.475	0.014	0.118	0.004	37.47	0.36	3.00	0.10	
A0924	1 1/2	1.720	0.014	0.118	0.004	43.69	0.36	3.00	0.10	
A0928	1 3/4	2.090	0.018	0.118	0.004	53.09	0.46	3.00	0.10	
A0932	2	2.337	0.018	0.118	0.004	59.36	0.46	3.00	0.10	